

Docket No.: YHK-0114

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Seong Ho KANG et al.

Serial No: 10/630,720

Filed: 7/31/2003

Confirmation No.: 9367

Group Art Unit: 2828

Examiner : D. Vu

Customer No.: 34610



For: METHOD FOR DRIVING PLASMA DISPLAY PANEL

U.S. Patent and Trademark Office  
Customer Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☐ No additional fee is required.  
☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	94	32	62	x \$50.00 =	\$3,100.00
Independent Claims	7	4	3	x \$200.00=	\$600.00
If multiple claims newly presented, add \$360.00					\$360.00
Fee for extension of time					\$0.00
<b>TOTAL FEE DUE</b>					<b>\$4,060.00</b>

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$\_\_\_\_. An additional copy of this transmittal sheet is submitted herewith.
- ☒ A check in the amount of \$4,060.00 (Check # 15291) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,  
FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186  
David C. Oren  
Registration No. 38,694

P.O. Box 221200  
Chantilly, VA 20153-1200  
(703) 766-3701 DYK:DCO/kah  
Date: June 13, 2005

Docket No.: YHK-0114

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 9367

Seong Ho KANG et al.

Group Art Unit: 2828

Serial No.: 10/630,720

Examiner: D. Vu

Filed: July 31, 2003

**Customer No.: 34610**

For: METHOD FOR DRIVING PLASMA DISPLAY PANEL

AMENDMENT

U.S. Patent and Trademark Office  
Customer Window - **AMENDMENT**  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Sir:

In response to the Office Action dated March 14, 2005, please amend the above-identified application as follows:

**Amendments to the Claims** are reflected in the listing of claims.

**Remarks** begin after the listing of claims.

06/15/2005 HALI11 00000171 10630720

01 FC:1202	3100.00 OP
02 FC:1201	600.00 OP
03 FC:1203	360.00 OP